

Airflow®

**CLIPSAL®**

by Schneider Electric

The coolest way  
to save energy



[clipsal.com](https://clipsal.com)



# It's a breeze to save energy with Airflow

## Australia's premium range of ceiling sweep fans

Clipsal's premium range of quality Airflow ceiling sweep fans just keeps getting bigger and better, providing more choice than ever before! Airflow ceiling fans come in three, four and five blade models, with Australia's largest selection of fan controllers, which includes remote controls for added convenience.

With the backing of Clipsal's three-year warranty and trusted after sales service, you can have peace of mind that you are getting the highest quality and reliability from Australia's No.1 electrical brand.

## A simple way to save energy

Airflow reversible ceiling sweep fans provide year round comfort by circulating a gentle cooling breeze in summer. In the winter ceiling fans direct the warm air that rises from heaters back down into the room where it's needed most.

With cool or warm air being better circulated around the room, air-conditioning can operate on a lower setting in winter and summer, which helps reduce power bills. Airflow ceiling sweep fans are also economical to run, using less power than a standard light globe.

## The right look for your home


Available in a combination of colours and styles, from crisp and contemporary white to the modern look of stainless steel - the Airflow ceiling fan range is designed to suit any décor and provide a solution for every lifestyle.

Three and four blade Airflow fans are supplied with Clipsal's popular 2000 Series switch plates and an extensive range of accessories is also available, including remote controls, mounting kits for raked ceiling installations and oyster light kits.


**Note:** Five blade wall control is the C2000 series.



Reversing switch



Air is gently swirled down in summer.




Air is forced back into the room in winter.

## Two types of mounting available



J-Hook Mounting.



Hangsure Mounting.



## Five blade ceiling fans

---



**Black blades one side**

**ACES52R5L**

1300mm diameter  
Remote control version

**ACES52W5L**


1300mm diameter  
Wall control version



**Silver blades on the other**

## Remote control unit

---



**Clipsal's Premium Series** provide maximum performance and quiet operation, with a contemporary style that suits any modern interior décor. All Clipsal premium ceiling fans come in either remote or wall control versions, which makes installation and operation a breeze. The innovative reversible blade design also provides the option of black or silver blades to suit specific décor requirements. These models are also standard with the light fitting as shown.

### Features & Benefits

- Energy efficient
- (RF) remote control with cradle
- High airflow performance
- Quiet operation
- 1300mm (52") diameter to suit most rooms
- Pre-wired with light
- Operate multiple fans from a single remote control
- Three fan speeds
- Light control ON/OFF
- Hangsure mounting bracket
- Three-year warranty



**Clipsal's High Performance Series** offers outstanding corrosion resistance in harsh environments, such as coastal regions and areas of high humidity, due to their aluminum blades. For increased air movement the blades can be angled up to 17 degrees, which provides optimal performance.

A selection of sizes is available with two mounting versions – J-hook mounting for easy installation on flat ceilings and Hangsure mounting for raked ceilings. High Performance Series are available in a choice of white or metallic finishes to suit specific interior décor requirements.

### Features & Benefits

- Energy efficient
- Three or four blade designs
- 900mm (36"), 1200mm (48") and 1400mm (56") models
- White or metallic finishes
- Three speed capacitor controller
- Light adaptable
- Sealed top and bottom bearings
- Reversing switch on fan motor
- Pre-wired and part assembled
- Blades angled up to 17° for increased air movement
- Three-year warranty

## Three blade ceiling fans

---

### J-Hook Mounting



**ACES36JAL**  
900mm diameter



**ACES48JAL**  
1200mm diameter



**ACES56JAL**  
1400mm diameter

### Hangsure Mounting



**ACES36AL**  
900mm diameter



**ACES48AL**  
1200mm diameter



**ACES56AL**  
1400mm diameter

## Four blade ceiling fans

---

### J-Hook Mounting




**4JH1200**  
1200mm diameter



**4JH1400**  
1400mm diameter

### Hangsure Mounting



**4HS1200**  
1200mm diameter



**4HS1400**  
1400mm diameter

*All models are developed to suit both OY (oyster) and CLIP (clipper) light fittings.*



**Clipsal's stylish Fashion Series** have a metallic finish to suit the interior décor of modern homes and commercial spaces. The Fashion Series offers all of the same features, benefits and specifications as the High Performance Series, which includes quick installation and high air-movement performance.

With 304 grade stainless steel blades and a matching electroplated finish for the body, shaft and canopies, these fans complement any modern interior. Available in three or four blade designs, with wall mounted controllers.

### Features & Benefits

- Energy efficient
- Three or four blade designs
- 900mm (36"), 1200mm (48") and 1400mm (56") models
- Metallic finishes
- Light adaptable
- Three speed capacitor controller
- Sealed top and bottom bearings
- Reversing switch on fan motor
- Pre-wired and part assembled
- Blades angled up to 17° for increased air movement
- 304 grade stainless steel blades
- Electroplated body, shaft and cowlings
- Three-year warranty

Three blade ceiling fans

---

J-Hook Mounting



**ACES48J**  
1200mm diameter



**ACES56J**  
1400mm diameter

Hangsure Mounting



**ACES48**  
1200mm diameter



**ACES56**  
1400mm diameter

Four blade ceiling fans

---

J-Hook Mounting



**4JH1200**  
1200mm diameter



**4JH1400**  
1400mm diameter

Hangsure Mounting



**4HS1200**  
1200mm diameter



**4HS1400**  
1400mm diameter

*All models are developed to suit both OY (oyster) and CLIP (clipper) light fittings.*



**Clipsal's Convenience Series** is an affordable solution for all your indoor ceiling fan requirements. Convenience Series comes with the handy option of a remote control, making installation easy, while providing convenient operation.

Available in three and four blade designs with the choice of white or metallic finishes.


### **Features & Benefits**

- Energy efficient
- Three or four blade designs
- White or metallic finishes
- Three speed capacitor controller or remote control options
- Light adaptable
- Sealed top and bottom bearings
- Reversing switch on fan motor
- Pre-wired and part assembled
- Three-year warranty

## Three blade ceiling fans



## Four blade ceiling fans



## Four blade ceiling fans

## Fashion Rattan



Clipsal's Fashion Rattan range blends perfectly with heritage style homes and is ideal for those who prefer a more traditional look. The Fashion Rattan range is available with oyster light kit options and comes in two colour choices of white and beige, with a distinctive brass trim.

### Features & Benefits

- Energy efficient
- Four reversible timber/rattan look blades
- Three speed capacitor controller
- Sealed top and bottom bearings
- Reversing switch on fan motor
- Pre-wired and part assembled
- Three-year warranty

*All models are developed to suit both OY (oyster) and CLIP (clipper) light fittings.*

Cat. No.	No. of Blades	Controller Type	Mounting	Diameter	Colour	Power	Fan Speed
<b>Premium Fashion Series - Timber Blades</b>							
ACES52R5L-BZ	5	RF Remote	Hangsure	1300mm	Bronze	60W	High 180 / Med 120 / Low 90
ACES52W5L-BZ	5	Wall	Hangsure	1300mm	Bronze	60W	High 180 / Med 120 / Low 90
<b>High Performance Series - Aluminium Blades</b>							
ACES36JAL-WE	3	Wall	J-Hook	900mm	White (WE)	65W	High 280 / Med 200 / Low 130
ACES36AL-WE	3	Wall	Hangsure	900mm	White (WE)	65W	High 280 / Med 200 / Low 130
ACES48JAL-WE	3	Wall	J-Hook	1200mm	White (WE)	65W	High 280 / Med 200 / Low 130
ACES48AL-WE	3	Wall	Hangsure	1200mm	White (WE)	65W	High 280 / Med 200 / Low 130
ACES56JAL-WE	3	Wall	J-Hook	1400mm	White (WE)	65W	High 260 / Med 180 / Low 120
ACES56AL-WE	3	Wall	Hangsure	1400mm	White (WE)	65W	High 260 / Med 180 / Low 120
4JH1200-WH	4	Wall	J-Hook	1200mm	White (WH)	66W	High 284 / Med 203 / Low 133
4HS1200-WH	4	Wall	Hangsure	1200mm	White (WH)	66W	High 284 / Med 203 / Low 133
4JH1400-WH	4	Wall	J-Hook	1400mm	White (WH)	66W	High 256 / Med 169 / Low 110
4HS1400-WH	4	Wall	Hangsure	1400mm	White (WH)	66W	High 256 / Med 169 / Low 110
<b>Fashion Series - Metallic Finish</b>							
ACES48J-SS	3	Wall	J-Hook	1200mm	Stainless Steel (SS)	65W	High 280 / Med 200 / Low 130
ACES48-SS	3	Wall	Hangsure	1200mm	Stainless Steel (SS)	65W	High 280 / Med 200 / Low 130
ACES56J-SS	3	Wall	J-Hook	1400mm	Stainless Steel (SS)	65W	High 260 / Med 180 / Low 120
ACES56-SS	3	Wall	Hangsure	1400mm	Stainless Steel (SS)	65W	High 260 / Med 180 / Low 120
4JH1200-SS	4	Wall	J-Hook	1200mm	Stainless Steel (SS)	66W	High 285 / Med 187 / Low 126
4HS1200-SS	4	Wall	Hangsure	1200mm	Stainless Steel (SS)	66W	High 285 / Med 187 / Low 126
4JH1400-SS	4	Wall	J-Hook	1400mm	Stainless Steel (SS)	66W	High 275 / Med 190 / Low 130
4HS1400-SS	4	Wall	Hangsure	1400mm	Stainless Steel (SS)	66W	High 275 / Med 190 / Low 130
<b>Convenience Series - RF Remote Control</b>							
ACES48ALR-WE	3	RF Remote	Hangsure	1200mm	White (WE)	60W	High 305 / Med 250 / Low 160
ACES48R-SS	3	RF Remote	Hangsure	1200mm	Stainless Steel (SS)	60W	High 305 / Med 250 / Low 160
4HS1200R-WH	4	RF Remote	Hangsure	1200mm	White (WH)	60W	High 285 / Med 220 / Low 115
4HS1200R-SS	4	RF Remote	Hangsure	1200mm	Stainless Steel (SS)	60W	High 285 / Med 220 / Low 115
<b>Fashion Series - Rattan Timber Blades</b>							
AFLR48-WE	4	Wall	Hangsure	1200mm	White (WE)	60W	High 240 / Med 140 / Low 100
AFLR48-BG	4	Wall	Hangsure	1200mm	Biege (BG)	60W	High 240 / Med 140 / Low 100

Down Rods (Non Remote Control)		
Cat. No.	Description	Colours
DR30X1/2*	Hangsure 760mm Down Rod	WHT, BEI, SS
DR30X1/2J*	J Hook 760mm Down Rod	WHT, SS
DR48X1/2*	Hangsure 1200mm Down Rod	WHT, BEI, SS
DR48X1/2J*	J Hook 1200mm Down Rod	WHT, SS
Down Rods (Remote Control)		
DR30X1/2R*	Hangsure 760mm Down Rod	WHT, SS
DR48X1/2R*	Hangsure 1200mm Down Rod	WHT, SS

\*Add your selected colour to the Cat. No. e.g. DR30X1/2WHT

Mounting Kit		
Cat. No.	Description	Colours
HSMK	Hangsure Mounting Kit	WE, BG

Light Kit		
Cat. No.	Description	Colours
OYWHT	Oyster Light Kit	White (WE)
OYBEI	Oyster Light Kit	Beige (BG)
OYSS	Oyster Light Kit	Stainless Steel (SS)
CLIPWHT	Clipper Light Kit	White (WE)
CLIPSS	Clipper Light Kit	Stainless Steel (SS)

Replacement Blade Sets		
Cat. No.	Description	Colours
ACES36B-WE	3 x Blades for ACES36* fans	White (WE)
ACES48B-WE	3 x Blades for ACES48* fans	White (WE)
ACES48B-SS	3 x Blades for ACES48* fans	Stainless Steel (SS)
ACES56B-WE	3 x Blades for ACES56* fans	White (WE)
ACES56B-SS	3 x Blades for ACES56* fans	Stainless Steel (SS)

## Schneider Electric (Australia) Pty Ltd

33-37 Port Wakefield Road, Gepps Cross  
South Australia 5094

PO Box 132, Enfield Plaza,  
South Australia 5085

[clipsal.com](http://clipsal.com)

Website: [clipsal.com](http://clipsal.com)  
Contact us: [clipsal.com/feedback](http://clipsal.com/feedback)

**National Customer Care Enquiries:**  
**1300 2025 25**

Schneider Electric (Australia) Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

© 2011 Schneider Electric. All Rights Reserved.

Trademarks are owned by Schneider Electric Industries SAS or its affiliated companies.

♻️ printed on recycled paper